2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年8月24日00:00)

Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 24 Aug 2022 00:00)

資料來源:衞生署衞生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis



版本日期:2022年8月25日 Version date: 25 Aug 2022


新冠疫苗能保護個人·預防2019冠狀病毒病的嚴重疾病和併發症。在本港·接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。 就此·政府強烈建議合資格人士(尤其是12歲以下及60歲以上人士)應盡快接種疫苗。

COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses**have much lower fatality rate than the unvaccinated. With that, the Government strongly recommended eligible persons
(especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

第5波死者個案 Deceased in the 5th Wave

累計數目 Cumulative number	9,421
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.42

疫苗接種史* Vaccination History




超過七成沒有 接種疫苗#

More than 70% were unvaccinated#

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

- ■已接種四劑(滿14天)Received 4 doses (reached 14 days)
- ■已接種三劑(滿14天)Received 3 doses (reached 14 days)
- ■已接種兩劑(滿14天)Received 2 doses (reached 14 days) ■已接種一劑(滿14天)Received 1 dose (reached 14 days)
- ■沒有接種疫苗# Unvaccinated#


居住院舍情況* Residential Care Home (RCH) Status



- ■院舍人士 RCH Residents
- ■非院舍人士 Non-RCH Residents

超過五成為居於院舍人士 More than 50% were RCH residents

長期病患歴史情況* History of Known Chronic Diseases




- 已知有長期病患 With known chronic diseases
- ■沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況 More than 90% were with known chronic diseases

* 不包括待定個案 Excluding pending cases

按年齡組別和疫苗接種情況*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status*

- 超過95%死亡個案為60歲 或以上長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗,可進一步提高保護力
- 早接種,早保護
- Over 95% fatal cases were elderly aged 60 years or above
- Having the first dose already offers observable protection
- Timely having the second and the third doses can enhance protection
- Early vaccination for early protection



^{*} 計算是根據個別個案的呈報日期,相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用,包括追溯所有過往數據。
It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.


- #包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別

Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

接種三劑疫苗相對沒有接種疫苗的死亡率(以20歲或以上年齡組別劃分)

Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											總計
as at case report date)	<3	3 - 11	12 – 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	Grand Total
總計 Grand total	0.01%	0.01%	0.01%	0.01%	0.01%	0.03%	0.11%	0.37%	1.49%	9.00%	0.01%	0.65%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.04%	0.03%	0.05%	0.17%	0.77%	1.84%	4.84%	14.95%	N/A	2.62%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.02%	0.04%	0.17%	0.48%	1.51%	6.98%	N/A	1.02%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.04%	0.01%	0.06%	0.21%	0.50%	1.59%	7.11%	N/A	1.46%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.00%	0.01%	0.00%	0.02%	0.00%	0.09%	0.43%	1.06%	5.62%	N/A	0.26%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.06%	0.15%	0.56%	3.53%	N/A	0.17%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.07%	0.18%	0.65%	4.00%	N/A	0.35%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.05%	0.11%	0.38%	1.80%	N/A	0.05%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種三劑疫苗總計 3 Doses - Overall	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.04%	0.13%	0.99%	N/A	0.04%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.04%	0.17%	1.02%	N/A	0.07%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.03%	0.08%	0.88%	N/A	0.02%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.04%	0.07%	1.03%	N/A	0.03%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.06%	0.22%	N/A	0.03%
接種四劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.34%	N/A	0.03%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.25%	0.00%	N/A	0.06%

- 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別
- 只要接種首劑疫苗,死亡風險也會顯著減少
- Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group
- Getting the first jab would also significantly reduce death risk
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目(經核酸檢測/快速抗原測試) Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	16,830	82,550	61,573	168,633	240,798	237,342	237,383	216,187	104,924	74,252	9,148	1,449,620
沒有接種疫苗# Unvaccinated#	16,812	54,728	8,412	21,256	30,537	20,764	20,404	27,418	21,670	32,821	N/A	254,822
接種一劑疫苗總計 1 Dose - Overall	18	14,127	13,984	10,957	17,451	14,147	15,887	23,801	17,216	14,823	N/A	142,411
接種一劑克爾來福 1 Dose – CoronaVac	13	12,111	2,308	2,848	7,019	8,289	11,219	18,387	14,485	13,502	N/A	90,181
接種一劑復必泰 1 Dose - Comirnaty	0	1,974	11,671	8,099	10,418	5,850	4,664	5,400	2,728	1,317	N/A	52,121
接種一劑其他 1 Dose - Others	5	42	5	10	14	8	4	14	3	4	N/A	109
接種兩劑疫苗總計 2 Doses – Overall	0	13,054	32,041	104,696	132,992	120,241	119,350	99,334	40,281	19,091	N/A	681,080
接種兩劑克爾來福 2 Doses – CoronaVac	0	10,614	4,757	15,286	30,069	45,846	62,420	58,784	27,101	15,020	N/A	269,897
接種兩劑復必泰 2 Doses – Comirnaty	0	2,140	27,051	89,107	102,500	73,999	56,567	40,235	13,052	4,006	N/A	408,657
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	300	233	303	423	396	363	315	128	65	N/A	2,526
接種三劑疫苗總計 3 Doses – Overall	0	641	7,127	31,666	59,663	81,813	81,220	62,323	23,981	7,064	N/A	355,498
接種三劑克爾來福 3 Doses – CoronaVac	0	572	869	5,664	15,500	31,804	39,294	33,074	14,391	4,905	N/A	146,073
接種三劑復必泰 3 Doses – Comirnaty	0	15	5,416	22,395	36,915	37,985	29,736	20,270	6,627	1,480	N/A	160,839
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	54	842	3,607	7,248	12,024	12,190	8,979	2,963	679	N/A	48,586
接種四劑疫苗總計 4 Doses – Overall	0	0	9	58	155	377	522	3,311	1,776	453	N/A	6,661
接種四劑克爾來 4 Doses – CoronaVac	0	0	3	22	52	179	261	1,665	1,030	292	N/A	3,504
接種四劑復必泰 4 Doses – Comirnaty	0	0	4	11	51	80	112	758	346	73	N/A	1,435
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	2	25	52	118	149	888	400	88	N/A	1,722

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目 Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	2	6	5	14	25	62	258	797	1,567	6,684	1	9,421
沒有接種疫苗# Unvaccinated#	2	5	3	7	15	36	157	505	1,049	4,906	N/A	6,685
接種一劑疫苗總計 1 Dose – Overall	0	1	1	1	3	5	27	115	260	1,034	N/A	1,447
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	1	5	23	92	231	960	N/A	1,314
接種一劑復必泰 1 Dose – Comirnaty	0	0	1	0	2	0	4	23	29	74	N/A	133
接種一劑其他 1 Dose - Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	0	0	1	6	4	17	68	152	225	673	N/A	1,146
接種兩劑克爾來福 2 Doses – CoronaVac	0	0	0	2	0	5	42	107	176	601	N/A	933
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	4	4	12	26	45	49	72	N/A	213
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	0	0	N/A	0
接種三劑疫苗總計 3 Doses – Overall	0	0	0	0	3	4	6	25	32	70	N/A	140
接種三劑克爾來福 3 Doses – CoronaVac	0	0	0	0	1	1	5	14	25	50	N/A	96
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	1	3	1	7	5	13	N/A	30
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	0	0	4	2	7	N/A	14
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	0	0	0	1	1	N/A	2
接種四劑克爾來 4 Doses – CoronaVac	0	0	0	0	0	0	0	0	0	1	N/A	1
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	0	0	0	0	N/A	0
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	1	0	N/A	1

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分) Comparison between Reported Locally Acquired Cases and Deceased Cases

Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

	年齡組別 Age groups													
疫苗接種情況 (在個案報告日期已滿14天)	20 – 39		40 -	- 59	60 -	- 69	70 -	- 79	80+					
(在画菜報音日新じ/MI4人) Vaccination Status	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡				
(reached 14 days as at case report	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%				
date)	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total				
ンフナ-t立在vin サ # 1 love a sin she d #	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths				
沒有接種疫苗 # Unvaccinated #	12.6%	56.4%	8.7%	60.3%	12.7%	63.4%	20.7%	66.9%	44.2%	73.4%				
接種一劑克爾來福 1 Dose – CoronaVac	2.4%	5.1%	4.1%	8.8%	8.5%	11.5%	13.8%	14.7%	18.2%	14.4%				
接種一劑復必泰 1 Dose – Comirnaty	4.5%	5.1%	2.2%	1.3%	2.5%	2.9%	2.6%	1.9%	1.8%	1.1%				
接種一劑其他疫苗 1 Dose – Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				
接種兩劑克爾來福 2 Doses – CoronaVac	11.1%	5.1%	22.8%	14.7%	27.2%	13.4%	25.8%	11.2%	20.2%	9.0%				
接種兩劑復必泰 2 Doses – Comirnaty	46.8%	20.5%	27.5%	11.9%	18.6%	5.6%	12.4%	3.1%	5.4%	1.1%				
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.2%	0.0%	0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%				
接種三劑克爾來福 3 Doses – CoronaVac	5.2%	2.6%	15.0%	1.9%	15.3%	1.8%	13.7%	1.6%	6.6%	0.7%				
接種三劑復必泰 3 Doses – Comirnaty	14.5%	2.6%	14.3%	1.3%	9.4%	0.9%	6.3%	0.3%	2.0%	0.2%				
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	2.7%	2.6%	5.1%	0.0%	4.2%	0.5%	2.8%	0.1%	0.9%	0.1%				
接種四劑克爾來福 4 Doses – CoronaVac	0.0%	0.0%	0.1%	0.0%	0.8%	0.0%	1.0%	0.0%	0.4%	0.0%				
接種四劑復必泰 4 Doses – Comirnaty	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.3%	0.0%	0.1%	0.0%				
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.0%	0.0%	0.1%	0.0%	0.4%	0.0%	0.4%	0.1%	0.1%	0.0%				
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%				

[#]包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

以年齡組別及疫苗接種情況(在本地或其他地方接種)劃分之香港人口 Hong Kong Population by Age Group and Vaccination Status (taken in Hong Kong/elsewhere)

	3 5 1												
疫苗接種情況(滿14天)		年齡組別 Age Group^											
Vaccination Status (reached 14 days)	<3 §	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	Grand Total		
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100		
沒有接種疫苗# Unvaccinated # *	121,000	105,000	_ @	_ @	_ @	. @	1,000	104,000	95,000	117,000	543,000		
接種一劑疫苗總計 1 Dose – Overall	1,998	72,055	26,235	20,622	27,962	20,224	20,774	26,055	17,356	17,737	251,018		
接種一劑克爾來福 1 Dose – CoronaVac	1,984	50,077	4,742	4,978	10,199	10,487	12,638	17,992	13,268	15,054	141,419		
接種一劑復必泰 1 Dose – Comirnaty	0	21,486	21,184	15,086	17,170	9,383	7,886	7,946	4,037	2,670	106,848		
接種一劑其他 1 Dose – Others	14	492	309	558	593	354	250	117	51	13	2,751		
接種兩劑疫苗總計 2 Doses - Overall	140	288,711	193,400	247,093	306,697	256,139	245,106	225,318	127,027	102,437	1,992,068		
接種兩劑克爾來福 2 Doses – CoronaVac	2	214,545	33,920	41,560	78,111	97,919	123,134	132,617	89,078	85,082	895,968		
接種兩劑復必泰 2 Doses – Comirnaty	2	68,402	151,303	190,530	215,082	149,099	114,756	87,653	35,815	16,697	1,029,339		
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	136	5,764	8,177	15,003	13,504	9,121	7,216	5,048	2,134	658	66,761		
接種三劑疫苗總計 3 Doses - Overall	15	37,155	247,283	559,489	797,929	908,668	886,666	669,233	303,264	145,979	4,555,681		
接種三劑克爾來福 3 Doses – CoronaVac	1	35,650	23,418	65,083	152,261	264,690	331,834	310,424	171,622	104,531	1,459,514		
接種三劑復必泰 3 Doses – Comirnaty	0	44	187,788	399,579	542,092	514,000	427,283	275,457	101,925	32,162	2,480,330		
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	359	16,203	35,176	64,582	94,531	96,082	63,556	22,642	7,995	401,126		
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	14	1,102	19,874	59,651	38,994	35,447	31,467	19,796	7,075	1,291	214,711		
接種四劑疫苗總計 4 Doses - Overall	0	10	645	5,487	12,073	21,082	38,025	97,687	48,385	14,756	238,150		
接種四劑克爾來福 4 Doses – CoronaVac	0	2	96	948	3,032	6,587	13,489	40,731	22,700	8,290	95,875		
接種四劑復必泰 4 Doses – Comirnaty	0	4	210	1,587	5,030	8,015	13,518	30,169	14,296	3,917	76,746		
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	2	53	1,119	2,454	4,544	8,249	22,661	9,271	2,105	50,458		
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	2	286	1,833	1,557	1,936	2,769	4,126	2,118	444	15,071		

- ^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.
- § 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。這年齡組別的第二及第三針疫苗數字,有關幼兒曾在香港以外地方接種新冠疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022. For the second and third vaccine dose figures in this age group, the relevant toddlers previously received COVID-19 vaccine(s) outside Hong Kong.
- # 包括已接種一劑但未滿14天的人十。Including those that have received 1 dose but not yet reached 14 days.
- * 估算沒有接種疫苗的人口是基於2021年年底人口數字(臨時數字)和曾經在本地或其他地方接種疫苗人口的相差推算所得。 Estimated unvaccinated population is derived by the difference between the end-2021 resident population (provisional figure) and the population ever vaccinated in Hong Kong/elsewhere.
- @ 2019冠狀病毒病疫苗接種計劃下的合資格接種人士,除了香港居民外,還包括以下類別的非香港居民:(1)持「往來港澳通行證」(慣稱「雙程證」)獲准逗留香港,並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客;(2)免遣返申請人及獲聯合國難民署確認為難民的人士;及(3)在香港逗留的其他訪客(必須持有有效旅遊證件在香港合法逗留,並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗)。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以,已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外,由於有關的人口基數非實時數字,與實際情況或會有偏差,因此,沒有接種疫苗的估算人口可以是負數而没有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension). These non-Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population eligible to receive vaccinations. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong resident population. Separately, the relevant baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

有用資訊 Useful Information

第5波最新疫情 Latest Epidemic Situation of 5th Wave

https://www.covidvaccine.gov.hk/pdf/5th_wave_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases https://www.coronavirus.gov.hk/eng/death_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local_situation_covid19_tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local_situation_covid19_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index tc.jsp



Book vaccination now

https://booking.covidvaccine.gov.hk/forms/index.jsp



2019冠狀病毒病疫苗接種計劃專題網站

https://www.covidvaccine.gov.hk/zh-Hi



COVID-19 Vaccination Programme Thematic Website

https://www.covidvaccine.gov.hk/en



2019冠狀病毒病專題網站

https://www.coronavirus.gov.hk/chi/index.html



COVID-19 Thematic Website

https://www.coronavirus.gov.hk/eng/index.html

