## 2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年8月31日00:00)

### Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 31 Aug 2022 00:00)

資料來源:衞生署衞生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis



版本日期:2022年9月1日 Version date: 1 Sep 2022


新冠疫苗能保護個人·預防2019冠狀病毒病的嚴重疾病和併發症。在本港·接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。 就此·政府強烈建議合資格人士(尤其是12歲以下及60歲以上人士)應盡快接種疫苗。

COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses**have much lower fatality rate than the unvaccinated. With that, the Government strongly recommended eligible persons
(especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

#### 第5波死者個案 Deceased in the 5th Wave

累計數目 Cumulative number	9,477
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.42

#### 疫苗接種史\* Vaccination History




## 超過七成沒有接種疫苗#

More than 70% were unvaccinated#

#包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

- ■已接種四劑(滿14天)Received 4 doses (reached 14 days)
- 已接種三劑(滿14天)Received 3 doses (reached 14 days)
- ■已接種兩劑(滿14天)Received 2 doses (reached 14 days)
- ■已接種一劑(滿14天)Received 1 dose (reached 14 days)
  ■沒有接種疫苗# Unvaccinated#


#### 居住院舍情況\* Residential Care Home (RCH) Status



- ■院舍人士 RCH Residents
- ■非院舍人士 Non-RCH Residents

超過五成為居於院舍人士 More than 50% were RCH residents

## 長期病患歷史情況\* History of Known Chronic Diseases



- 已知有長期病患 With known chronic diseases
- ■沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況 More than 90% were with known chronic diseases

\* 不包括待定個案 Excluding pending cases

# 按年齡組別和疫苗接種情況\*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status\*

- 超過95%死亡個案為60歲 或以上長者
- 接種首劑疫苗已有明顯保 護力
- 依時接種第二和第三劑疫苗,可進一步提高保護力
- 早接種,早保護
- Over 95% fatal cases were elderly aged 60 years or above
- Having the first dose already offers observable protection
- Timely having the second and the third doses can enhance protection
- Early vaccination for early protection



<sup>\*</sup> 計算是根據個別個案的呈報日期,相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用,包括追溯所有過往數據。
It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.


- #包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

#### 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別

Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

#### 接種三劑疫苗相對沒有接種疫苗的死亡率(以20歲或以上年齡組別劃分)

Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



### 按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											總計
as at case report date)	<3	3 - 11	12 – 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	Grand Total
總計 Grand total	0.01%	0.01%	0.01%	0.01%	0.01%	0.03%	0.11%	0.36%	1.45%	8.81%	0.01%	0.63%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.03%	0.03%	0.05%	0.17%	0.76%	1.82%	4.80%	14.88%	N/A	2.58%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.02%	0.04%	0.17%	0.48%	1.51%	6.96%	N/A	1.01%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.01%	0.06%	0.20%	0.50%	1.59%	7.10%	N/A	1.45%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.00%	0.01%	0.00%	0.02%	0.00%	0.09%	0.42%	1.06%	5.60%	N/A	0.25%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.06%	0.15%	0.56%	3.52%	N/A	0.17%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.07%	0.18%	0.65%	3.98%	N/A	0.34%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.05%	0.11%	0.38%	1.80%	N/A	0.05%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種三劑疫苗總計 3 Doses - Overall	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.04%	0.13%	1.00%	N/A	0.04%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.04%	0.18%	1.01%	N/A	0.07%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.04%	0.07%	0.92%	N/A	0.02%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.05%	0.07%	1.05%	N/A	0.03%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.04%	0.33%	N/A	0.03%
接種 <b>四</b> 劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.49%	N/A	0.04%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.22%	0.00%	N/A	0.05%

- 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別
- 只要接種首劑疫苗,死亡風險也會顯著減少
- Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group
- Getting the first jab would also significantly reduce death risk
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

### 以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目(經核酸檢測/快速抗原測試) Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	17,774	87,315	65,322	175,360	250,821	247,502	246,525	224,365	108,815	76,366	9,252	1,509,417
沒有接種疫苗# Unvaccinated#	17,714	55,837	8,579	21,742	31,254	21,303	20,754	27,773	21,864	33,052	N/A	259,872
接種一劑疫苗總計 1 Dose - Overall	60	14,462	14,044	11,011	17,529	14,190	15,916	23,851	17,246	14,861	N/A	143,170
接種一劑克爾來福 1 Dose - CoronaVac	59	12,349	2,326	2,859	7,054	8,320	11,236	18,427	14,512	13,537	N/A	90,679
接種一劑復必泰 1 Dose - Comirnaty	0	2,100	11,717	8,146	10,466	5,865	4,677	5,414	2,732	1,321	N/A	52,438
接種一劑其他 1 Dose - Others	1	13	1	6	9	5	3	10	2	3	N/A	53
接種兩劑疫苗總計 2 Doses – Overall	0	16,068	33,490	105,696	134,582	121,342	120,362	100,488	41,034	19,606	N/A	692,668
接種兩劑克爾來福 2 Doses – CoronaVac	0	13,186	5,146	15,477	30,613	46,451	63,031	59,611	27,667	15,467	N/A	276,649
接種兩劑復必泰 2 Doses – Comirnaty	0	2,833	28,228	90,017	103,678	74,569	57,037	40,652	13,285	4,106	N/A	414,405
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	49	116	202	291	322	294	225	82	33	N/A	1,614
接種三劑疫苗總計 3 Doses – Overall	0	948	9,197	36,817	67,218	90,121	88,644	67,959	26,391	8,241	N/A	395,536
接種三劑克爾來福 3 Doses - CoronaVac	0	906	1,165	6,177	16,998	34,300	42,493	36,004	15,922	5,841	N/A	159,806
接種三劑復必泰 3 Doses – Comirnaty	0	18	7,196	27,059	42,997	43,519	33,604	22,738	7,466	1,731	N/A	186,328
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	24	836	3,581	7,223	12,302	12,547	9,217	3,003	669	N/A	49,402
接種四劑疫苗總計 4 Doses – Overall	0	0	12	94	238	546	849	4,294	2,280	606	N/A	8,919
接種四劑克爾來 4 Doses – CoronaVac	0	0	3	30	82	257	429	2,178	1,364	407	N/A	4,750
接種四劑復必泰 4 Doses – Comirnaty	0	0	7	31	86	139	210	1,032	461	100	N/A	2,066
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	2	33	70	150	210	1,084	455	99	N/A	2,103

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

### 以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目 Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	2	6	5	14	26	62	259	801	1,574	6,727	1	9,477
沒有接種疫苗# Unvaccinated#	2	5	3	7	15	36	157	505	1,049	4,918	N/A	6,697
接種一劑疫苗總計 1 Dose – Overall	0	1	1	1	3	5	27	115	260	1,035	N/A	1,448
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	1	5	23	92	231	961	N/A	1,315
接種一劑復必泰 1 Dose – Comirnaty	0	0	1	0	2	0	4	23	29	74	N/A	133
接種一劑其他 1 Dose - Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	0	0	1	6	4	17	69	153	229	690	N/A	1,169
接種兩劑克爾來福 2 Doses – CoronaVac	0	0	0	2	0	5	42	107	179	616	N/A	951
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	4	4	12	27	46	50	74	N/A	218
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	0	0	N/A	0
接種三劑疫苗總計 3 Doses – Overall	0	0	0	0	4	4	6	28	35	82	N/A	159
接種三劑克爾來福 3 Doses – CoronaVac	0	0	0	0	1	1	5	14	28	59	N/A	108
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	2	3	1	9	5	16	N/A	36
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	0	0	5	2	7	N/A	15
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	0	0	0	1	2	N/A	3
接種四劑克爾來 4 Doses – CoronaVac	0	0	0	0	0	0	0	0	0	2	N/A	2
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	0	0	0	0	N/A	0
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	1	0	N/A	1

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

# 比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分) Comparison between Reported Locally Acquired Cases and Deceased Cases

# Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

	年齡組別 Age groups													
疫苗接種情況 (在個案報告日期已滿14天)	20 – 39		40 -	- 59	60 -	- 69	70 -	- 79	80+					
Vaccination Status	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡				
(reached 14 days as at case report	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%				
date)	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total		% of total				
ンフナ- 立在/ 古 共 ル   Louis a sing short #	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths				
沒有接種疫苗 # Unvaccinated #	12.4%	55.0%	8.5%	60.1%	12.4%	63.0%	20.1%	66.6%	43.3%	73.1%				
接種一劑克爾來福 1 Dose – CoronaVac	2.3%	5.0%	4.0%	8.7%	8.2%	11.5%	13.3%	14.7%	17.7%	14.3%				
接種一劑復必泰 1 Dose – Comirnaty	4.4%	5.0%	2.1%	1.2%	2.4%	2.9%	2.5%	1.8%	1.7%	1.1%				
接種一劑其他疫苗 1 Dose – Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				
接種兩劑克爾來福 2 Doses – CoronaVac	10.8%	5.0%	22.2%	14.6%	26.6%	13.4%	25.4%	11.4%	20.3%	9.2%				
接種兩劑復必泰 2 Doses – Comirnaty	45.4%	20.0%	26.6%	12.1%	18.1%	5.7%	12.2%	3.2%	5.4%	1.1%				
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%				
接種三劑克爾來福 3 Doses – CoronaVac	5.4%	2.5%	15.5%	1.9%	16.0%	1.7%	14.6%	1.8%	7.6%	0.9%				
接種三劑復必泰 3 Doses – Comirnaty	16.4%	5.0%	15.6%	1.2%	10.1%	1.1%	6.9%	0.3%	2.3%	0.2%				
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	2.5%	2.5%	5.0%	0.0%	4.1%	0.6%	2.8%	0.1%	0.9%	0.1%				
接種四劑克爾來福 4 Doses – CoronaVac	0.0%	0.0%	0.1%	0.0%	1.0%	0.0%	1.3%	0.0%	0.5%	0.0%				
接種四劑復必泰 4 Doses – Comirnaty	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%	0.4%	0.0%	0.1%	0.0%				
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%	0.4%	0.1%	0.1%	0.0%				
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%				

<sup>#</sup>包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

### 以年齡組別及疫苗接種情況(在本地或其他地方接種)劃分之香港人口 Hong Kong Population by Age Group and Vaccination Status (taken in Hong Kong/elsewhere)

疫苗接種情況(滿14天)	年齡組別 Age Group^											
Vaccination Status (reached 14 days)	<3 §	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	總計 Grand Total	
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100	
沒有接種疫苗# Unvaccinated # *	119,000	101,000	_ @	_ @	_ @	_ @	_ @	102,000	95,000	117,000	534,000	
接種一劑疫苗總計 1 Dose – Overall	4,603	70,888	25,409	20,169	27,377	19,678	20,129	25,046	16,592	16,986	246,877	
接種一劑克爾來福 1 Dose – CoronaVac	4,582	49,175	4,600	4,839	9,964	10,180	12,188	17,214	12,663	14,414	139,819	
接種一劑復必泰 1 Dose – Comirnaty	0	21,201	20,496	14,744	16,802	9,129	7,687	7,712	3,878	2,559	104,208	
接種一劑其他 1 Dose – Others	21	512	313	586	611	369	254	120	51	13	2,850	
接種兩劑疫苗總計 2 Doses – Overall	170	288,469	188,636	242,911	299,246	248,636	235,426	214,070	120,167	96,767	1,934,498	
接種兩劑克爾來福 2 Doses – Corona Vac	1	212,913	32,184	40,397	75,624	94,268	117,381	125,583	84,068	80,217	862,636	
接種兩劑復必泰 2 Doses – Comirnaty	0	69,331	147,856	186,445	209,561	144,845	110,597	83,424	33,931	15,870	1,001,860	
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	169	6,225	8,596	16,069	14,061	9,523	7,448	5,063	2,168	680	70,002	
接種三劑疫苗總計 3 Doses – Overall	23	42,647	254,989	572,736	807,397	915,933	891,683	677,211	308,427	151,484	4,622,530	
接種三劑克爾來福 3 Doses – Corona Vac	1	40,841	25,375	66,105	154,496	267,437	334,924	315,372	175,554	109,290	1,489,395	
接種三劑復必泰 3 Doses – Comirnaty	0	47	191,659	403,723	547,061	516,848	428,540	278,090	103,027	32,801	2,501,796	
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	433	16,727	35,410	64,945	94,656	95,632	63,399	22,612	8,078	401,892	
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	22	1,326	21,228	67,498	40,895	36,992	32,587	20,350	7,234	1,315	229,447	
接種四劑疫苗總計 4 Doses – Overall	0	13	776	6,481	13,836	24,300	45,330	103,342	51,554	16,190	261,822	
接種四劑克爾來福 4 Doses – CoronaVac	0	2	113	1,067	3,438	7,570	16,148	43,528	24,489	9,288	105,643	
接種四劑復必泰 4 Doses – Comirnaty	0	4	262	1,913	5,876	9,444	16,414	31,912	15,188	4,197	85,210	
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	2	67	1,246	2,734	5,136	9,612	23,490	9,653	2,232	54,172	
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	5	334	2,255	1,788	2,150	3,156	4,412	2,224	473	16,797	

- ^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.
- § 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。這年齡組別的第二及第三針疫苗數字,有關幼兒曾在香港以外地方接種新冠疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022. For the second and third vaccine dose figures in this age group, the relevant toddlers previously received COVID-19 vaccine(s) outside Hong Kong.
- # 包括已接種一劑但未滿14天的人十。Including those that have received 1 dose but not yet reached 14 days.
- \* 估算沒有接種疫苗的人口是基於2021年年底人口數字(臨時數字)和曾經在本地或其他地方接種疫苗人口的相差推算所得。 Estimated unvaccinated population is derived by the difference between the end-2021 resident population (provisional figure) and the population ever vaccinated in Hong Kong/elsewhere.
- @ 2019冠狀病毒病疫苗接種計劃下的合資格接種人士,除了香港居民外,還包括以下類別的非香港居民:(1)持「往來港澳通行證」(慣稱「雙程證」)獲准逗留香港,並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客;(2)免遣返申請人及獲聯合國難民署確認為難民的人士;及(3)在香港逗留的其他訪客(必須持有有效旅遊證件在香港合法逗留,並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗)。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以,已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外,由於有關的人口基數非實時數字,與實際情況或會有偏差,因此,沒有接種疫苗的估算人口可以是負數而没有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension). These non-Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population eligible to receive vaccinations. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong resident population. Separately, the relevant baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

## 有用資訊 Useful Information

#### 第5波最新疫情 Latest Epidemic Situation of 5th Wave

https://www.covidvaccine.gov.hk/pdf/5th\_wave\_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death\_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases

https://www.coronavirus.gov.hk/eng/death\_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local\_situation\_covid19\_tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local\_situation\_covid19\_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index\_tc.jsp



**Book vaccination now** 

https://booking.covidvaccine.gov.hk/forms/index.jsp



2019冠狀病毒病疫苗接種計劃專題網站

https://www.covidvaccine.gov.hk/zh-Hi



COVID-19 Vaccination Programme Thematic Website https://www.covidvaccine.gov.hk/en



2019冠狀病毒病專題網站

https://www.coronavirus.gov.hk/chi/index.html



**COVID-19 Thematic Website** 

https://www.coronavirus.gov.hk/eng/index.html

