


2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年9月7日00:00)

Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 7 Sep 2022 00:00)



版本日期:2022年9月8日
Version date: 8 Sep 2022

資料來源：衛生署衛生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis

新冠疫苗能保護個人，預防2019冠狀病毒病的嚴重疾病和併發症。在本港，接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。就此，政府強烈建議合資格人士（尤其是12歲以下及60歲以上人士）應盡快接種疫苗。


COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses have much lower fatality rate than the unvaccinated.** With that, the Government strongly recommended eligible persons (especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

第5波死者個案 Deceased in the 5th Wave

累計數目 Cumulative number	9,544
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.42

疫苗接種史*

Vaccination History




- 已接種四劑(滿14天) Received 4 doses (reached 14 days)
- 已接種三劑(滿14天) Received 3 doses (reached 14 days)
- 已接種兩劑(滿14天) Received 2 doses (reached 14 days)
- 已接種一劑(滿14天) Received 1 dose (reached 14 days)
- 沒有接種疫苗# Unvaccinated#

大約七成沒有
接種疫苗#
About 70%
were unvaccinated#

包括已接種一劑但未滿
14 天的人士 Including
those that have received 1
dose but not yet reached
14 days


居住院舍情況* Residential Care Home (RCH) Status



- 院舍人士 RCH Residents
- 非院舍人士 Non-RCH Residents

超過五成為居於院舍人士
More than 50% were
RCH residents

長期病患歷史情況* History of Known Chronic Diseases



- 已知有長期病患 With known chronic diseases
- 沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況
More than 90% were
with known chronic diseases


* 不包括待定期案 Excluding pending cases

按年齡組別和疫苗接種情況*劃分的死亡率

Case Fatality Rate by Age Group and Vaccination Status*

- 超過**95%**死亡個案為**60歲或以上**長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗，可進一步提高保護力
- 早接種，早保護

- **Over 95% fatal cases were elderly aged 60 years or above**
- **Having the first dose already offers observable protection**
- **Timely having the second and the third doses can enhance protection**
- **Early vaccination for early protection**



* 計算是根據個別個案的呈報日期，相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用，包括追溯所有過往數據。





It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.

包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別
Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

接種三劑疫苗相對沒有接種疫苗的死亡率（以20歲或以上年齡組別劃分）
Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

按年齡組別及疫苗接種情況劃分的死亡率

Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	0.01%	0.01%	0.01%	0.01%	0.01%	0.02%	0.10%	0.34%	1.40%	8.62%	0.01%	0.60%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.03%	0.03%	0.05%	0.16%	0.74%	1.80%	4.75%	14.80%	N/A	2.52%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.02%	0.04%	0.17%	0.48%	1.50%	6.96%	N/A	1.01%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.01%	0.06%	0.20%	0.50%	1.59%	7.09%	N/A	1.44%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.00%	0.01%	0.00%	0.02%	0.00%	0.09%	0.42%	1.06%	5.64%	N/A	0.25%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.01%	0.06%	0.15%	0.56%	3.53%	N/A	0.17%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.02%	0.00%	0.01%	0.07%	0.18%	0.65%	4.00%	N/A	0.34%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.05%	0.11%	0.37%	1.81%	N/A	0.05%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種三劑疫苗總計 3 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.01%	0.04%	0.14%	1.04%	N/A	0.04%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.01%	0.04%	0.19%	1.09%	N/A	0.08%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.04%	0.06%	0.91%	N/A	0.02%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.06%	0.06%	0.93%	N/A	0.03%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.03%	0.25%	N/A	0.03%
接種四劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.39%	N/A	0.03%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.17%	0.00%	N/A	0.04%

- 接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別
- 只要接種首劑疫苗，死亡風險也會顯著減少
- **Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group**
- **Getting the first jab would also significantly reduce death risk**

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目（經核酸檢測／快速抗原測試）

Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況（在個案報告日期已滿14天） Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	18,953	93,717	70,607	183,261	262,200	259,150	256,697	233,523	113,218	78,586	9,359	1,579,271
沒有接種疫苗# Unvaccinated#	18,784	57,261	8,792	22,347	32,138	21,943	21,172	28,175	22,106	33,276	N/A	265,994
接種一劑疫苗總計 1 Dose – Overall	169	14,932	14,125	11,088	17,618	14,251	15,956	23,893	17,283	14,893	N/A	144,208
接種一劑克爾來福 1 Dose – CoronaVac	168	12,649	2,343	2,878	7,098	8,358	11,257	18,456	14,544	13,561	N/A	91,312
接種一劑復必泰 1 Dose – Comirnaty	0	2,267	11,780	8,202	10,510	5,888	4,696	5,427	2,737	1,329	N/A	52,836
接種一劑其他 1 Dose – Others	1	16	2	8	10	5	3	10	2	3	N/A	60
接種兩劑疫苗總計 2 Doses – Overall	0	20,032	35,510	106,934	136,287	122,523	121,355	101,743	41,707	20,116	N/A	706,207
接種兩劑克爾來福 2 Doses – CoronaVac	0	16,244	5,630	15,700	31,146	47,034	63,633	60,399	28,147	15,891	N/A	283,824
接種兩劑復必泰 2 Doses – Comirnaty	0	3,724	29,750	91,026	104,846	75,159	57,425	41,119	13,478	4,191	N/A	420,718
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	64	130	208	295	330	297	225	82	34	N/A	1,665
接種三劑疫苗總計 3 Doses – Overall	0	1,491	12,165	42,770	75,809	99,662	96,976	74,341	29,231	9,515	N/A	441,960
接種三劑克爾來福 3 Doses – CoronaVac	0	1,439	1,494	6,793	18,607	37,035	45,826	39,037	17,624	6,790	N/A	174,645
接種三劑復必泰 3 Doses – Comirnaty	0	18	9,572	31,988	49,276	49,281	37,663	25,485	8,368	1,974	N/A	213,625
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	34	1,099	3,989	7,926	13,346	13,487	9,819	3,239	751	N/A	53,690
接種四劑疫苗總計 4 Doses – Overall	0	1	15	122	348	771	1,238	5,371	2,891	786	N/A	11,543
接種四劑克爾來福 4 Doses – CoronaVac	0	1	3	40	116	360	602	2,679	1,698	519	N/A	6,018
接種四劑復必泰 4 Doses – Comirnaty	0	0	8	40	129	199	327	1,341	615	135	N/A	2,794
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	4	42	103	212	309	1,351	578	132	N/A	2,731

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

N/A = 不適用 Not applicable

以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目

Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	2	6	5	15	26	63	262	804	1,585	6,775	1	9,544
沒有接種疫苗# Unvaccinated#	2	5	3	7	15	36	157	507	1,050	4,926	N/A	6,708
接種一劑疫苗總計 1 Dose – Overall	0	1	1	1	3	5	27	115	260	1,037	N/A	1,450
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	1	5	23	92	231	962	N/A	1,316
接種一劑復必泰 1 Dose – Comirnaty	0	0	1	0	2	0	4	23	29	75	N/A	134
接種一劑其他 1 Dose – Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	0	0	1	7	4	17	71	153	233	711	N/A	1,197
接種兩劑克爾來福 2 Doses – CoronaVac	0	0	0	3	0	5	43	107	183	635	N/A	976
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	4	4	12	28	46	50	76	N/A	221
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	0	0	N/A	0
接種三劑疫苗總計 3 Doses – Overall	0	0	0	0	4	5	7	29	41	99	N/A	185
接種三劑克爾來福 3 Doses – CoronaVac	0	0	0	0	1	2	6	14	34	74	N/A	131
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	2	3	1	9	5	18	N/A	38
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	0	0	6	2	7	N/A	16
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	0	0	0	1	2	N/A	3
接種四劑克爾來福 4 Doses – CoronaVac	0	0	0	0	0	0	0	0	0	2	N/A	2
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	0	0	0	0	N/A	0
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	1	0	N/A	1

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

N/A = 不適用 Not applicable

比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分)

臨時數據
Provisional data

Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age groups									
	20 – 39		40 – 59		60 – 69		70 – 79		80+	
	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths
沒有接種疫苗 # Unvaccinated #	12.2%	53.7%	8.4%	59.4%	12.1%	63.1%	19.5%	66.2%	42.3%	72.7%
接種一劑克爾來福 1 Dose – CoronaVac	2.2%	4.9%	3.8%	8.6%	7.9%	11.4%	12.8%	14.6%	17.3%	14.2%
接種一劑復必泰 1 Dose – Comirnaty	4.2%	4.9%	2.1%	1.2%	2.3%	2.9%	2.4%	1.8%	1.7%	1.1%
接種一劑其他疫苗 1 Dose – Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
接種兩劑克爾來福 2 Doses – CoronaVac	10.5%	7.3%	21.5%	14.8%	25.9%	13.3%	24.9%	11.5%	20.2%	9.4%
接種兩劑復必泰 2 Doses – Comirnaty	44.0%	19.5%	25.7%	12.3%	17.6%	5.7%	11.9%	3.2%	5.3%	1.1%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
接種三劑克爾來福 3 Doses – CoronaVac	5.7%	2.4%	16.1%	2.5%	16.7%	1.7%	15.6%	2.1%	8.6%	1.1%
接種三劑復必泰 3 Doses – Comirnaty	18.2%	4.9%	16.9%	1.2%	10.9%	1.1%	7.4%	0.3%	2.5%	0.3%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	2.7%	2.4%	5.2%	0.0%	4.2%	0.7%	2.9%	0.1%	1.0%	0.1%
接種四劑克爾來福 4 Doses – CoronaVac	0.0%	0.0%	0.2%	0.0%	1.1%	0.0%	1.5%	0.0%	0.7%	0.0%
接種四劑復必泰 4 Doses – Comirnaty	0.0%	0.0%	0.1%	0.0%	0.6%	0.0%	0.5%	0.0%	0.2%	0.0%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.0%	0.0%	0.1%	0.0%	0.6%	0.0%	0.5%	0.1%	0.2%	0.0%
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

以年齡組別及疫苗接種情況(在本地或其他地方接種)劃分之香港人口

Hong Kong Population by Age Group and Vaccination Status (taken in Hong Kong/elsewhere)

疫苗接種情況 (滿14天) Vaccination Status (reached 14 days)	年齡組別 Age Group^										總計 Grand Total
	<3 [§]	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100
沒有接種疫苗# Unvaccinated # *	115,000	95,000	- @	- @	- @	- @	- @	101,000	94,000	116,000	521,000
接種一劑疫苗總計 1 Dose – Overall	8,657	69,961	24,229	19,686	26,572	18,904	19,294	23,761	15,728	16,103	242,895
接種一劑克爾來福 1 Dose – CoronaVac	8,631	48,453	4,372	4,709	9,649	9,756	11,667	16,268	12,001	13,701	139,207
接種一劑復必泰 1 Dose – Comirnaty	0	20,991	19,537	14,357	16,291	8,772	7,374	7,367	3,675	2,389	100,753
接種一劑其他 1 Dose – Others	26	517	320	620	632	376	253	126	52	13	2,935
接種兩劑疫苗總計 2 Doses – Overall	202	286,287	183,371	238,744	291,530	241,009	225,074	202,355	113,057	91,001	1,872,630
接種兩劑克爾來福 2 Doses – CoronaVac	1	209,442	30,136	39,161	73,005	90,480	111,267	118,060	78,884	75,307	825,743
接種兩劑復必泰 2 Doses – Comirnaty	0	70,287	143,884	182,582	204,151	140,762	106,222	79,174	31,974	15,008	974,044
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	201	6,558	9,351	17,001	14,374	9,767	7,585	5,121	2,199	686	72,843
接種三劑疫苗總計 3 Doses – Overall	31	51,032	264,859	587,553	816,626	922,797	897,358	685,048	313,257	156,849	4,695,410
接種三劑克爾來福 3 Doses – CoronaVac	1	48,764	27,714	67,168	156,803	270,195	338,344	320,443	179,308	113,926	1,522,666
接種三劑復必泰 3 Doses – Comirnaty	0	52	196,214	407,683	551,896	519,485	430,110	280,463	104,008	33,419	2,523,330
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	532	17,363	35,620	65,329	94,740	95,290	63,256	22,522	8,151	402,803
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	30	1,684	23,568	77,082	42,598	38,377	33,614	20,886	7,419	1,353	246,611
接種四劑疫苗總計 4 Doses – Overall	0	15	958	7,649	15,891	27,937	52,687	109,914	55,589	18,091	288,731
接種四劑克爾來福 4 Doses – CoronaVac	0	3	129	1,203	3,935	8,728	18,927	46,758	26,744	10,621	117,048
接種四劑復必泰 4 Doses – Comirnaty	0	5	346	2,279	6,879	11,012	19,384	34,023	16,345	4,593	94,866
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	2	88	1,425	3,072	5,841	10,873	24,422	10,127	2,380	58,230
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	5	395	2,742	2,005	2,356	3,503	4,711	2,373	497	18,587

^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.

§ 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。這年齡組別的第二及第三針疫苗數字，有關幼兒曾在香港以外地方接種新冠疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022. For the second and third vaccine dose figures in this age group, the relevant toddlers previously received COVID-19 vaccine(s) outside Hong Kong.

包括已接種一劑但未滿14天的人士。Including those that have received 1 dose but not yet reached 14 days.

* 估算沒有接種疫苗的人口是基於2021年年底人口數字（臨時數字）和曾經在本地或其他地方接種疫苗人口的相差推算所得。
Estimated unvaccinated population is derived by the difference between the end-2021 resident population (provisional figure) and the population ever vaccinated in Hong Kong/elsewhere.

@ 2019冠狀病毒病疫苗接種計劃下的合資格接種人士，除了香港居民外，還包括以下類別的非香港居民：（1）持「往來港澳通行證」（慣稱「雙程證」）獲准逗留香港，並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客；（2）免遣返申請人及獲聯合國難民署確認為難民的人士；及（3）在香港逗留的其他訪客（必須持有有效旅遊證件在香港合法逗留，並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗）。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以，已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外，由於有關的人口基數非實時數字，與實際情況或會有偏差，因此，沒有接種疫苗的估算人口可以是負數而沒有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension). These non-Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population eligible to receive vaccination. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong resident population. Separately, the relevant baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

有用資訊 Useful Information

第5波最新疫情 Latest Epidemic Situation of 5th Wave

https://www.covidvaccine.gov.hk/pdf/5th_wave_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases

https://www.coronavirus.gov.hk/eng/death_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local_situation_covid19_tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local_situation_covid19_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index_tc.jsp



Book vaccination now

<https://booking.covidvaccine.gov.hk/forms/index.jsp>



2019冠狀病毒病疫苗接種計劃專題網站

<https://www.covidvaccine.gov.hk/zh-HK>



COVID-19 Vaccination Programme Thematic Website

<https://www.covidvaccine.gov.hk/en>



2019冠狀病毒病專題網站

<https://www.coronavirus.gov.hk/chi/index.html>



COVID-19 Thematic Website

<https://www.coronavirus.gov.hk/eng/index.html>

