2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年10月26日00:00)

Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 26 Oct 2022 00:00)

資料來源:衞生署衞生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis



版本日期:2022年10月27日 Version date: 27 Oct 2022

新冠疫苗能保護個人·預防2019冠狀病毒病的嚴重疾病和併發症。在本港·接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。 就此·政府強烈建議合資格人士(尤其是12歲以下及60歲以上人士)應盡快接種疫苗。

COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses**have much lower fatality rate than the unvaccinated. With that, the Government strongly recommended eligible persons
(especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

第5波死者個案 Deceased in the 5th Wave®

累計數目 Cumulative number	10,135	
年齡範圍 Age range	0 - 112	
年齡中位數 Median	86	
男性與女性比例 Male to female ratio	1.40	

疫苗接種史* Vaccination History




大約七成沒有 接種疫苗# About 70%

were unvaccinated#

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

- ■已接種四劑(滿14天)Received 4 doses (reached 14 days)
- 已接種三劑(滿14天)Received 3 doses (reached 14 days)
- ■已接種兩劑(滿14天)Received 2 doses (reached 14 days)
- ■已接種一劑(滿14天)Received 1 dose (reached 14 days)
- ■沒有接種疫苗# Unvaccinated#


居住院舍情況* Residential Care Home (RCH) Status



- ■院舍人士 RCH Residents
- ■非院舍人士 Non-RCH Residents

超過五成為居於院舍人士 More than 50% were RCH residents

長期病患歴史情況* History of Known Chronic Diseases




- 已知有長期病患 With known chronic diseases
- ■沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況
More than 90% were
with known chronic diseases

@ 不包括輸入個案 Excluding imported cases * 不包括待定個案 Excluding pending cases

按年齡組別和疫苗接種情況*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status*

- 超過95%死亡個案為60歲或以上長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗,可進一步提高保護力
- 早接種,早保護
- Over 95% fatal cases were elderly aged 60 years or above
- Having the first dose already offers observable protection
- Timely having the second and the third doses can enhance protection
- Early vaccination for early protection



^{*} 計算是根據個別個案的呈報日期,相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用,包括追溯所有過往數據。
It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.


- #包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別

Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

接種三劑疫苗相對沒有接種疫苗的死亡率(以20歲或以上年齡組別劃分)

Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											
as at case report date)	<3	3 - 11	12 – 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	Grand Total
總計 Grand total	0.01%	0.01%	0.01%	0.01%	0.01%	0.02%	0.10%	0.32%	1.28%	8.18%	0.02%	0.55%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.03%	0.03%	0.04%	0.16%	0.69%	1.77%	4.65%	14.84%	N/A	2.38%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.02%	0.03%	0.19%	0.49%	1.51%	7.08%	N/A	1.01%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.03%	0.06%	0.23%	0.51%	1.61%	7.22%	N/A	1.44%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.00%	0.01%	0.00%	0.02%	0.00%	0.10%	0.44%	1.01%	5.70%	N/A	0.25%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.06%	0.15%	0.60%	3.69%	N/A	0.18%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.02%	0.00%	0.01%	0.08%	0.18%	0.70%	4.12%	N/A	0.36%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.05%	0.12%	0.39%	2.05%	N/A	0.06%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	2.27%	N/A	0.05%
接種三劑疫苗總計 3 Doses - Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.05%	0.18%	1.43%	N/A	0.06%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.03%	0.00%	0.01%	0.01%	0.02%	0.05%	0.23%	1.58%	N/A	0.12%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.04%	0.11%	1.03%	N/A	0.02%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.01%	0.05%	0.10%	1.03%	N/A	0.03%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.03%	0.01%	0.03%	0.56%	N/A	0.05%
接種四劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.52%	N/A	0.05%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.09%	0.00%	0.00%	0.57%	N/A	0.04%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.04%	0.17%	0.77%	N/A	0.09%

- 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別
- 只要接種首劑疫苗,死亡風險也會顯著減少
- Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group
- Getting the first jab would also significantly reduce death risk
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目(經核酸檢測/快速抗原測試) Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group												
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total	
總計 Grand total	23,551	117,241	89,128	213,631	307,429	303,950	295,623	267,791	130,115	87,960	9,492	1,845,911	
沒有接種疫苗# Unvaccinated#	22,695	62,386	9,751	25,254	36,120	24,712	22,931	29,819	23,057	34,350	N/A	291,075	
接種一劑疫苗總計 1 Dose - Overall	724	16,673	14,390	11,422	18,062	14,486	16,156	24,082	17,437	15,074	N/A	148,506	
接種一劑克爾來福 1 Dose – CoronaVac	705	13,875	2,421	2,964	7,268	8,478	11,377	18,569	14,661	13,721	N/A	94,039	
接種一劑復必泰 1 Dose - Comirnaty	18	2,772	11,955	8,436	10,778	5,994	4,770	5,503	2,767	1,351	N/A	54,344	
接種一劑其他 1 Dose - Others	1	26	14	22	16	14	9	10	9	2	N/A	123	
接種兩劑疫苗總計 2 Doses – Overall	132	32,516	40,961	110,680	141,249	125,696	123,899	104,623	43,410	21,606	N/A	744,772	
接種兩劑克爾來福 2 Doses – CoronaVac	131	25,008	6,872	16,387	32,638	48,572	65,096	62,275	29,384	17,125	N/A	303,488	
接種兩劑復必泰 2 Doses – Comirnaty	0	7,333	33,880	94,033	108,233	76,759	58,466	42,110	13,939	4,437	N/A	439,190	
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	1	175	209	260	378	365	337	238	87	44	N/A	2,094	
接種三劑疫苗總計 3 Doses – Overall	0	5,665	23,992	65,898	110,881	136,738	128,933	98,705	40,382	15,157	N/A	626,351	
接種三劑克爾來福 3 Doses – CoronaVac	0	5,445	3,402	9,091	24,561	47,261	58,120	50,505	24,282	11,066	N/A	233,733	
接種三劑復必泰 3 Doses – Comirnaty	0	12	18,381	51,167	75,607	72,313	53,716	35,956	12,004	3,024	N/A	322,180	
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	208	2,209	5,640	10,713	17,164	17,097	12,244	4,096	1,067	N/A	70,438	
接種四劑疫苗總計 4 Doses – Overall	0	1	34	377	1,117	2,318	3,704	10,562	5,829	1,773	N/A	25,715	
接種四劑克爾來 4 Doses – CoronaVac	0	1	7	110	357	963	1,687	5,267	3,322	1,163	N/A	12,877	
接種四劑復必泰 4 Doses – Comirnaty	0	0	19	141	497	755	1,142	2,792	1,364	349	N/A	7,059	
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	8	126	263	600	875	2,503	1,143	261	N/A	5,779	

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目 Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group												
as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total	
總計 Grand total	2	7	6	18	28	72	283	855	1,671	7,191	2	10,135	
沒有接種疫苗# Unvaccinated#	2	5	3	8	15	40	158	527	1,072	5,099	N/A	6,929	
接種一劑疫苗總計 1 Dose - Overall	0	1	1	1	4	5	31	119	264	1,067	N/A	1,493	
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	2	5	26	95	236	990	N/A	1,356	
接種一劑復必泰 1 Dose - Comirnaty	0	0	1	0	2	0	5	24	28	77	N/A	137	
接種一劑其他 1 Dose - Others	0	0	0	0	0	0	0	0	0	0	N/A	0	
接種兩劑疫苗總計 2 Doses - Overall	0	1	1	9	4	19	80	162	260	798	N/A	1,334	
接種兩劑克爾來福 2 Doses – CoronaVac	0	1	0	3	0	6	50	112	205	706	N/A	1,083	
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	6	4	13	30	50	55	91	N/A	250	
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	0	1	N/A	1	
接種三劑疫苗總計 3 Doses - Overall	0	0	1	0	5	8	13	46	73	217	N/A	363	
接種三劑克爾來福 3 Doses – CoronaVac	0	0	1	0	2	3	9	25	56	175	N/A	271	
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	2	4	3	15	13	31	N/A	68	
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	1	1	6	4	11	N/A	24	
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	0	1	1	2	10	N/A	14	
接種四劑克爾來 4 Doses – CoronaVac	0	0	0	0	0	0	0	0	0	6	N/A	6	
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	1	0	0	2	N/A	3	
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	1	2	2	N/A	5	

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分) Comparison between Reported Locally Acquired Cases and Deceased Cases

Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

	年齡組別 Age groups													
疫苗接種情況 (在個案報告日期已滿14天)	20 – 39		40 -	- 59	60 -	- 69	70 -	- 79	80+					
(任個条報百日朔已網14人) Vaccination Status	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡				
(reached 14 days as at case report	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%				
date)	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total				
	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths				
沒有接種疫苗 # Unvaccinated #	11.8%	50.0%	7.9%	55.8%	11.1%	61.6%	17.7%	64.2%	39.1%	70.9%				
接種一劑克爾來福 1 Dose – CoronaVac	2.0%	6.5%	3.3%	8.7%	6.9%	11.1%	11.3%	14.1%	15.6%	13.8%				
接種一劑復必泰 1 Dose - Comirnaty	3.7%	4.3%	1.8%	1.4%	2.1%	2.8%	2.1%	1.7%	1.5%	1.1%				
接種一劑其他疫苗 1 Dose - Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				
接種兩劑克爾來福 2 Doses – CoronaVac	9.4%	6.5%	19.0%	15.8%	23.3%	13.1%	22.6%	12.3%	19.5%	9.8%				
接種兩劑復必泰 2 Doses – Comirnaty	38.8%	21.7%	22.6%	12.1%	15.7%	5.8%	10.7%	3.3%	5.0%	1.3%				
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%				
接種三劑克爾來福 3 Doses – CoronaVac	6.5%	4.3%	17.6%	3.4%	18.9%	2.9%	18.7%	3.4%	12.6%	2.4%				
接種三劑復必泰 3 Doses – Comirnaty	24.3%	4.3%	21.0%	2.0%	13.4%	1.8%	9.2%	0.8%	3.4%	0.4%				
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	3.1%	2.2%	5.7%	0.6%	4.6%	0.7%	3.1%	0.2%	1.2%	0.2%				
接種四劑克爾來福 4 Doses - CoronaVac	0.1%	0.0%	0.4%	0.0%	2.0%	0.0%	2.6%	0.0%	1.3%	0.1%				
接種四劑復必泰 4 Doses – Comirnaty	0.1%	0.0%	0.3%	0.3%	1.0%	0.0%	1.0%	0.0%	0.4%	0.0%				
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.1%	0.0%	0.2%	0.0%	0.9%	0.1%	0.9%	0.1%	0.3%	0.0%				
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%				

[#]包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

以年齡組別及疫苗接種情況劃分之曾在香港已接種至少一劑疫苗的人口 ~ Population ever vaccinated in Hong Kong by Age Group and Vaccination Status ~

疫苗接種情況(滿14天)					年齡組別 A	ge Group^					總計
Vaccination Status (reached 14 days)	<3 §	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	Grand Total
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100
曾在香港已接種至少一劑疫苗的人口 (=a+b+c+d) Population ever vaccinated in Hong Kong	18,597	441,110	463,407	808,366	1,127,106	1,189,075	1,176,333	1,012,420	496,361	284,881	7,017,656
接種一劑疫苗總計 1 Dose – Overall (a)	8,598	61,835	13,021	11,935	15,614	10,210	9,731	12,256	9,219	11,841	164,260
接種一劑克爾來福 1 Dose – CoronaVac	8,598	39,064	2,908	3,376	6,545	5,574	5,948	8,397	7,097	10,182	97,689
接種一劑復必泰 1 Dose – Comirnaty	0	22,771	10,113	8,559	9,069	4,636	3,783	3,859	2,122	1,659	66,571
接種兩劑疫苗總計 2 Doses – Overall (b)	9,910	235,122	118,160	172,517	205,450	156,416	128,979	113,354	61,805	51,229	1,252,942
接種兩劑克爾來福 2 Doses – CoronaVac	9,789	157,352	17,939	27,233	48,287	53,364	59,583	65,123	43,140	41,755	523,565
接種兩劑復必泰 2 Doses – Comirnaty	0	75,182	98,355	142,975	154,859	101,153	67,798	47,040	18,073	9,165	714,600
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	121	2,588	1,866	2,309	2,304	1,899	1,598	1,191	592	309	14,777
接種三劑疫苗總計 3 Doses - Overall (c)	89	144,126	330,040	608,263	871,740	963,037	935,727	731,148	342,382	188,957	5,115,509
接種三劑克爾來福 3 Doses – CoronaVac	2	133,742	41,830	78,122	179,267	298,517	373,138	357,495	204,627	142,680	1,809,420
接種三劑復必泰 3 Doses – Comirnaty	0	2,321	246,077	449,793	597,138	545,913	449,583	299,325	110,965	36,915	2,738,030
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	1,686	23,703	38,568	69,598	97,119	94,461	62,118	22,090	8,387	417,730
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	87	6,377	18,430	41,780	25,737	21,488	18,545	12,210	4,700	975	150,329
接種四劑疫苗總計 4 Doses - Overall (d)	0	27	2,186	15,651	34,302	59,412	101,896	155,662	82,955	32,854	484,945
接種四劑克爾來福 4 Doses – CoronaVac	0	15	314	2,554	8,988	19,328	38,735	70,520	43,512	21,514	205,480
接種四劑復必泰 4 Doses – Comirnaty	0	5	817	5,324	16,060	24,868	39,046	49,190	24,184	7,431	166,925
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	4	233	2,739	6,170	11,597	19,589	31,207	13,106	3,445	88,090
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	3	822	5,034	3,084	3,619	4,526	4,745	2,153	464	24,450

- 就本統計分析而言,由2022年9月15日起,統計數字只包括曾在香港已接種至少一劑疫苗的人口(該些人士可能同時在香港以外地方接種其他劑次)。於分析該些人士已接種疫苗劑數時,已考慮在香港以外地方的疫苗接種記錄。比較9月14日發佈的數字,減少約20萬以反映以上技術性修訂。For the purpose of this statistical analysis, starting from 15 September 2022, the statistics cover population ever vaccinated in HK (the individuals may also have doses taken outside HK). Vaccine dose(s) taken outside HK by these individuals have been taken into account in the analysis of the number of doses taken. As compared to the statistics reported on 14 September, the aforementioned technical refinements result in a reduction of 200,000 persons.
- ^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.
- § 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022.
- ② 2019冠狀病毒病疫苗接種計劃下的合資格接種人士,除了香港居民外,還包括以下類別的非香港居民:(1)持「往來港澳通行證」(慣稱「雙程證」)獲准逗留香港,並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客;(2)免遭返申請人及獲聯合國難民署確認為難民的人士;及(3)在香港逗留的其他訪客(必須持有有效旅遊證件在香港合法逗留,並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗)。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以,已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外,由於有關的人口基數非實時數字,與實際情況或會有偏差,因此,沒有接種疫苗的估算人口可以是負數而沒有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

有用資訊 Useful Information

第5波最新疫情 Latest Epidemic Situation of 5th Wave

https://www.covidvaccine.gov.hk/pdf/5th_wave_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases https://www.coronavirus.gov.hk/eng/death_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local situation covid19 tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local_situation_covid19_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index_tc.jsp



Book vaccination now

https://booking.covidvaccine.gov.hk/forms/index.jsp



2019冠狀病毒病疫苗接種計劃專題網站

https://www.covidvaccine.gov.hk/zh-Hi



COVID-19 Vaccination Programme Thematic Website

https://www.covidvaccine.gov.hk/en



2019冠狀病毒病專題網站

https://www.coronavirus.gov.hk/chi/index.html



COVID-19 Thematic Website

https://www.coronavirus.gov.hk/eng/index.html

