

# 2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年11月30日00:00)

## Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 30 Nov 2022 00:00)



版本日期:2022年12月1日  
Version date: 1 Dec 2022

資料來源：衛生署衛生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis

新冠疫苗能保護個人，預防2019冠狀病毒病的嚴重疾病和併發症。在本港，接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。就此，政府強烈建議合資格人士（尤其是12歲以下及60歲以上人士）應盡快接種疫苗。


COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, cases vaccinated with 2 or 3 doses have much lower fatality rate than the unvaccinated. With that, the Government strongly recommended eligible persons (especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

### 第5波死者個案 Deceased in the 5th Wave<sup>@</sup>

累計數目 Cumulative number	10,531
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.39

### 疫苗接種史\*

#### Vaccination History




- 已接種四劑(滿14天) Received 4 doses (reached 14 days)
- 已接種三劑(滿14天) Received 3 doses (reached 14 days)
- 已接種兩劑(滿14天) Received 2 doses (reached 14 days)
- 已接種一劑(滿14天) Received 1 dose (reached 14 days)
- 沒有接種疫苗# Unvaccinated#

超過六成沒有  
接種疫苗#  
More than 60%  
were unvaccinated#

# 包括已接種一劑但未滿  
14 天的人士 Including  
those that have received 1  
dose but not yet reached  
14 days


### 居住院舍情況\* Residential Care Home (RCH) Status



- 院舍人士 RCH Residents
- 非院舍人士 Non-RCH Residents

超過五成為居於院舍人士  
More than 50% were  
RCH residents

### 長期病患歷史情況\* History of Known Chronic Diseases




- 已知有長期病患 With known chronic diseases
- 沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況  
More than 90% were  
with known chronic diseases

@ 不包括輸入個案 Excluding imported cases \* 不包括待定個案 Excluding pending cases

## 按年齡組別和疫苗接種情況\*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status\*

- 超過**95%**死亡個案為**60歲**或以上長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗，可進一步提高保護力
- 早接種，早保護
- **Over 95% fatal cases were elderly aged 60 years or above**
- **Having the first dose already offers observable protection**
- **Timely having the second and the third doses can enhance protection**
- **Early vaccination for early protection**



\* 計算是根據個別個案的呈報日期，相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用，包括追溯所有過往數據。





It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.

# 包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別  
Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

接種三劑疫苗相對沒有接種疫苗的死亡率（以20歲或以上年齡組別劃分）  
Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

## 按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
<b>總計 Grand total</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.02%</b>	<b>0.09%</b>	<b>0.30%</b>	<b>1.20%</b>	<b>7.74%</b>	<b>0.03%</b>	<b>0.51%</b>
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.03%	0.03%	0.04%	0.15%	0.67%	1.71%	4.52%	14.67%	N/A	2.27%
<b>接種一劑疫苗總計 1 Dose – Overall</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.02%</b>	<b>0.03%</b>	<b>0.19%</b>	<b>0.51%</b>	<b>1.52%</b>	<b>7.15%</b>	<b>N/A</b>	<b>1.01%</b>
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.03%	0.06%	0.23%	0.53%	1.62%	7.29%	N/A	1.45%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.00%	0.01%	0.00%	0.02%	0.00%	0.10%	0.43%	1.00%	5.74%	N/A	0.25%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	N/A	0.00%
<b>接種兩劑疫苗總計 2 Doses – Overall</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.07%</b>	<b>0.16%</b>	<b>0.61%</b>	<b>3.75%</b>	<b>N/A</b>	<b>0.18%</b>
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.02%	0.00%	0.01%	0.08%	0.19%	0.71%	4.17%	N/A	0.36%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.05%	0.12%	0.41%	2.13%	N/A	0.06%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	1.92%	N/A	0.04%
<b>接種三劑疫苗總計 3 Doses – Overall</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.01%</b>	<b>0.06%</b>	<b>0.22%</b>	<b>1.66%</b>	<b>N/A</b>	<b>0.07%</b>
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.02%	0.00%	0.01%	0.01%	0.02%	0.07%	0.28%	1.89%	N/A	0.15%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.05%	0.16%	0.94%	N/A	0.02%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.07%	0.08%	1.24%	N/A	0.04%
<b>接種四劑疫苗總計 4 Doses – Overall</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.01%</b>	<b>0.02%</b>	<b>0.08%</b>	<b>1.03%</b>	<b>N/A</b>	<b>0.10%</b>
接種四劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.06%	1.24%	N/A	0.14%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.04%	0.02%	0.00%	0.49%	N/A	0.04%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.03%	0.23%	0.77%	N/A	0.09%

- 接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別
- 只要接種首劑疫苗，死亡風險也會顯著減少
- **Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group**
- **Getting the first jab would also significantly reduce death risk**

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

## 以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目（經核酸檢測／快速抗原測試） Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況（在個案報告日期已滿14天） Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	<b>26,798</b>	<b>133,206</b>	<b>103,166</b>	<b>235,878</b>	<b>341,730</b>	<b>338,952</b>	<b>327,739</b>	<b>296,894</b>	<b>144,587</b>	<b>96,299</b>	<b>9,810</b>	<b>2,055,059</b>
沒有接種疫苗# Unvaccinated#	<b>25,472</b>	<b>65,118</b>	<b>10,324</b>	<b>27,368</b>	<b>39,023</b>	<b>26,808</b>	<b>24,338</b>	<b>31,170</b>	<b>23,942</b>	<b>35,156</b>	<b>N/A</b>	<b>308,719</b>
接種一劑疫苗總計 1 Dose – Overall	<b>877</b>	<b>17,736</b>	<b>14,545</b>	<b>11,603</b>	<b>18,334</b>	<b>14,624</b>	<b>16,275</b>	<b>24,229</b>	<b>17,529</b>	<b>15,204</b>	<b>N/A</b>	<b>150,956</b>
接種一劑克爾來福 1 Dose – CoronaVac	855	14,572	2,461	3,025	7,381	8,556	11,457	18,667	14,737	13,844	N/A	95,555
接種一劑復必泰 1 Dose – Comirnaty	21	3,160	12,082	8,562	10,944	6,059	4,815	5,551	2,788	1,360	N/A	55,342
接種一劑其他 1 Dose – Others	1	4	2	16	9	9	3	11	4	0	N/A	59
接種兩劑疫苗總計 2 Doses – Overall	<b>435</b>	<b>39,585</b>	<b>42,348</b>	<b>112,165</b>	<b>143,292</b>	<b>126,907</b>	<b>124,858</b>	<b>105,630</b>	<b>44,067</b>	<b>22,247</b>	<b>N/A</b>	<b>761,534</b>
接種兩劑克爾來福 2 Doses – CoronaVac	434	29,163	7,210	16,694	33,239	49,144	65,625	62,893	29,869	17,639	N/A	311,910
接種兩劑復必泰 2 Doses – Comirnaty	0	10,195	34,895	95,184	109,637	77,361	58,878	42,486	14,096	4,556	N/A	447,288
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	1	227	243	287	416	402	355	251	102	52	N/A	2,336
接種三劑疫苗總計 3 Doses – Overall	<b>12</b>	<b>10,766</b>	<b>35,894</b>	<b>83,996</b>	<b>139,060</b>	<b>166,228</b>	<b>155,155</b>	<b>119,642</b>	<b>49,903</b>	<b>20,598</b>	<b>N/A</b>	<b>781,254</b>
接種三劑克爾來福 3 Doses – CoronaVac	9	10,375	5,762	11,093	29,556	55,660	68,135	60,120	29,851	15,244	N/A	285,805
接種三劑復必泰 3 Doses – Comirnaty	3	17	26,720	65,939	96,609	90,395	66,963	45,367	15,279	4,063	N/A	411,355
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	374	3,412	6,964	12,895	20,173	20,057	14,155	4,773	1,291	N/A	84,094
接種四劑疫苗總計 4 Doses – Overall	<b>2</b>	<b>1</b>	<b>55</b>	<b>746</b>	<b>2,021</b>	<b>4,385</b>	<b>7,113</b>	<b>16,223</b>	<b>9,146</b>	<b>3,094</b>	<b>N/A</b>	<b>42,786</b>
接種四劑克爾來福 4 Doses – CoronaVac	2	1	11	196	651	1,766	3,146	8,046	5,189	2,099	N/A	21,107
接種四劑復必泰 4 Doses – Comirnaty	0	0	28	289	894	1,542	2,308	4,512	2,229	607	N/A	12,409
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	16	261	476	1,077	1,659	3,665	1,728	388	N/A	9,270

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

N/A = 不適用 Not applicable

## 以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目

### Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	<b>3</b>	<b>7</b>	<b>6</b>	<b>18</b>	<b>28</b>	<b>74</b>	<b>299</b>	<b>903</b>	<b>1,738</b>	<b>7,452</b>	<b>3</b>	<b>10,531</b>
沒有接種疫苗# Unvaccinated#	<b>3</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>15</b>	<b>41</b>	<b>162</b>	<b>534</b>	<b>1,082</b>	<b>5,157</b>	<b>N/A</b>	<b>7,010</b>
接種一劑疫苗總計 1 Dose – Overall	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>31</b>	<b>123</b>	<b>267</b>	<b>1,087</b>	<b>N/A</b>	<b>1,520</b>
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	2	5	26	99	239	1,009	N/A	1,382
接種一劑復必泰 1 Dose – Comirnaty	0	0	1	0	2	0	5	24	28	78	N/A	138
接種一劑其他 1 Dose – Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	<b>0</b>	<b>1</b>	<b>1</b>	<b>9</b>	<b>4</b>	<b>19</b>	<b>82</b>	<b>172</b>	<b>270</b>	<b>834</b>	<b>N/A</b>	<b>1,392</b>
接種兩劑克爾來福 2 Doses – CoronaVac	0	1	0	3	0	6	52	120	212	736	N/A	1,130
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	6	4	13	30	52	58	97	N/A	261
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	0	0	0	1	N/A	1
接種三劑疫苗總計 3 Doses – Overall	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>	<b>9</b>	<b>23</b>	<b>71</b>	<b>112</b>	<b>342</b>	<b>N/A</b>	<b>563</b>
接種三劑克爾來福 3 Doses – CoronaVac	0	0	1	0	2	4	14	40	84	288	N/A	433
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	2	4	8	21	24	38	N/A	97
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	1	1	10	4	16	N/A	33
接種四劑疫苗總計 4 Doses – Overall	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>32</b>	<b>N/A</b>	<b>43</b>
接種四劑克爾來福 4 Doses – CoronaVac	0	0	0	0	0	0	0	1	3	26	N/A	30
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	1	1	0	3	N/A	5
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	1	4	3	N/A	8

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

N/A = 不適用 Not applicable



# 比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分)

臨時數據  
Provisional data

## Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age groups									
	20 – 39		40 – 59		60 – 69		70 – 79		80+	
	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths
沒有接種疫苗 # Unvaccinated #	11.5%	50.0%	7.7%	54.4%	10.5%	59.1%	16.6%	62.3%	36.5%	69.2%
接種一劑克爾來福 1 Dose – CoronaVac	1.8%	6.5%	3.0%	8.3%	6.3%	11.0%	10.2%	13.8%	14.4%	13.5%
接種一劑復必泰 1 Dose – Comirnaty	3.4%	4.3%	1.6%	1.3%	1.9%	2.7%	1.9%	1.6%	1.4%	1.0%
接種一劑其他疫苗 1 Dose – Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
接種兩劑克爾來福 2 Doses – CoronaVac	8.6%	6.5%	17.2%	15.5%	21.2%	13.3%	20.7%	12.2%	18.3%	9.9%
接種兩劑復必泰 2 Doses – Comirnaty	35.5%	21.7%	20.4%	11.5%	14.3%	5.8%	9.7%	3.3%	4.7%	1.3%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
接種三劑克爾來福 3 Doses – CoronaVac	7.0%	4.3%	18.6%	4.8%	20.2%	4.4%	20.6%	4.8%	15.8%	3.9%
接種三劑復必泰 3 Doses – Comirnaty	28.1%	4.3%	23.6%	3.2%	15.3%	2.3%	10.6%	1.4%	4.2%	0.5%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	3.4%	2.2%	6.0%	0.5%	4.8%	1.1%	3.3%	0.2%	1.3%	0.2%
接種四劑克爾來福 4 Doses – CoronaVac	0.1%	0.0%	0.7%	0.0%	2.7%	0.1%	3.6%	0.2%	2.2%	0.3%
接種四劑復必泰 4 Doses – Comirnaty	0.2%	0.0%	0.6%	0.3%	1.5%	0.1%	1.5%	0.0%	0.6%	0.0%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.1%	0.0%	0.4%	0.0%	1.2%	0.1%	1.2%	0.2%	0.4%	0.0%
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

# 以年齡組別及疫苗接種情況劃分之曾在香港已接種至少一劑疫苗的人口 ~ Population ever vaccinated in Hong Kong by Age Group and Vaccination Status ~

臨時數據  
Provisional data

疫苗接種情況 (滿14天) Vaccination Status (reached 14 days)	年齡組別 Age Group <sup>^</sup>										總計 Grand Total
	<3 <sup>§</sup>	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100
曾在香港已接種至少一劑疫苗的人口 (=a+b+c+d) Population ever vaccinated in Hong Kong	20,308	445,541	464,705	810,697	1,129,656	1,190,882	1,178,040	1,014,268	497,645	286,259	7,038,001
<b>接種一劑疫苗總計 1 Dose – Overall (a)</b>	<b>7,155</b>	<b>52,396</b>	<b>11,126</b>	<b>10,767</b>	<b>14,098</b>	<b>9,271</b>	<b>8,450</b>	<b>10,651</b>	<b>8,017</b>	<b>10,689</b>	<b>142,620</b>
接種一劑克爾來福 1 Dose – CoronaVac	7,155	31,733	2,439	3,049	5,977	5,042	5,081	7,216	6,158	9,190	83,040
接種一劑復必泰 1 Dose – Comirnaty	0	20,663	8,687	7,718	8,121	4,229	3,369	3,435	1,859	1,499	59,580
<b>接種兩劑疫苗總計 2 Doses – Overall (b)</b>	<b>13,035</b>	<b>231,782</b>	<b>99,625</b>	<b>161,415</b>	<b>191,384</b>	<b>144,690</b>	<b>116,114</b>	<b>99,542</b>	<b>51,650</b>	<b>41,394</b>	<b>1,150,631</b>
接種兩劑克爾來福 2 Doses – CoronaVac	12,902	154,012	15,312	24,877	43,881	48,075	52,680	56,284	35,434	33,384	476,841
接種兩劑復必泰 2 Doses – Comirnaty	0	73,942	82,439	133,925	144,864	94,357	61,596	41,958	15,591	7,710	656,382
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	133	3,828	1,874	2,613	2,639	2,258	1,838	1,300	625	300	17,408
<b>接種三劑疫苗總計 3 Doses – Overall (c)</b>	<b>118</b>	<b>161,321</b>	<b>351,429</b>	<b>619,570</b>	<b>882,803</b>	<b>965,118</b>	<b>929,299</b>	<b>730,234</b>	<b>344,427</b>	<b>194,726</b>	<b>5,179,045</b>
接種三劑克爾來福 3 Doses – CoronaVac	7	146,888	44,987	80,138	182,626	300,193	371,993	358,763	207,557	148,105	1,841,257
接種三劑復必泰 3 Doses – Comirnaty	0	4,680	261,798	457,450	603,035	546,150	445,989	298,125	110,350	37,286	2,764,863
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	2,081	25,405	39,188	70,283	96,629	92,378	60,856	21,635	8,299	416,754
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	111	7,672	19,239	42,794	26,859	22,146	18,939	12,490	4,885	1,036	156,171
<b>接種四劑疫苗總計 4 Doses – Overall (d)</b>	<b>0</b>	<b>42</b>	<b>2,525</b>	<b>18,945</b>	<b>41,371</b>	<b>71,803</b>	<b>124,177</b>	<b>173,841</b>	<b>93,551</b>	<b>39,450</b>	<b>565,705</b>
接種四劑克爾來福 4 Doses – CoronaVac	0	27	364	3,056	10,533	23,186	47,219	79,493	49,670	26,467	240,015
接種四劑復必泰 4 Doses – Comirnaty	0	8	967	6,725	19,774	30,533	48,002	55,089	27,150	8,573	196,821
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	4	282	3,197	7,205	13,592	23,253	33,574	14,149	3,871	99,127
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	3	912	5,967	3,859	4,492	5,703	5,685	2,582	539	29,742

~ 就本統計分析而言，由2022年9月15日起，統計數字只包括曾在香港已接種至少一劑疫苗的人口（該些人士可能同時在香港以外地方接種其他劑次）。於分析該些人士已接種疫苗劑數時，已考慮在香港以外地方的疫苗接種記錄。比較9月14日發佈的數字，減少約20萬以反映以上技術性修訂。For the purpose of this statistical analysis, starting from 15 September 2022, the statistics cover population ever vaccinated in HK (the individuals may also have doses taken outside HK). Vaccine dose(s) taken outside HK by these individuals have been taken into account in the analysis of the number of doses taken. As compared to the statistics reported on 14 September, the aforementioned technical refinements result in a reduction of 200,000 persons.

^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.

§ 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022.

@ 2019冠狀病毒病疫苗接種計劃下的合資格接種人士，除了香港居民外，還包括以下類別的非香港居民：（1）持「往來港澳通行證」（慣稱「雙程證」）獲准逗留香港，並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客；（2）免遣返申請人及獲聯合國難民署確認為難民的人士；及（3）在香港逗留的其他訪客（必須持有有效旅遊證件在香港合法逗留，並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗）。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以，已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外，由於有關的人口基數非實時數字，與實際情況或會有偏差，因此，沒有接種疫苗的估算人口可以是負數而沒有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension). These non-Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population eligible to receive vaccination. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong resident population. Separately, the relevant baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.



# 有用資訊 Useful Information

第5波最新疫情 Latest Epidemic Situation of 5th Wave

[https://www.covidvaccine.gov.hk/pdf/5th\\_wave\\_statistics.pdf](https://www.covidvaccine.gov.hk/pdf/5th_wave_statistics.pdf)



死亡個案報告初步分析數據資料庫

[https://www.coronavirus.gov.hk/chi/death\\_analysis.html](https://www.coronavirus.gov.hk/chi/death_analysis.html)



Archive of Statistics on Provisional Analysis on Reported Death Cases

[https://www.coronavirus.gov.hk/eng/death\\_analysis.html](https://www.coronavirus.gov.hk/eng/death_analysis.html)



更多相關數據

[https://www.chp.gov.hk/files/pdf/local\\_situation\\_covid19\\_tc.pdf](https://www.chp.gov.hk/files/pdf/local_situation_covid19_tc.pdf)



More relevant statistics

[https://www.chp.gov.hk/files/pdf/local\\_situation\\_covid19\\_en.pdf](https://www.chp.gov.hk/files/pdf/local_situation_covid19_en.pdf)



立即預約接種疫苗

[https://booking.covidvaccine.gov.hk/forms/index\\_tc.jsp](https://booking.covidvaccine.gov.hk/forms/index_tc.jsp)



Book vaccination now

<https://booking.covidvaccine.gov.hk/forms/index.jsp>



2019冠狀病毒病疫苗接種計劃專題網站

<https://www.covidvaccine.gov.hk/zh-HK>



COVID-19 Vaccination Programme Thematic Website

<https://www.covidvaccine.gov.hk/en>



2019冠狀病毒病專題網站

<https://www.coronavirus.gov.hk/chi/index.html>



COVID-19 Thematic Website

<https://www.coronavirus.gov.hk/eng/index.html>

