## 2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2022年12月21日00:00)

### Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 21 Dec 2022 00:00)

資料來源:衞生署衞生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis



版本日期:2022年12月22日 Version date: 22 Dec 2022


新冠疫苗能保護個人·預防2019冠狀病毒病的嚴重疾病和併發症。在本港·接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。 就此·政府強烈建議合資格人士(尤其是12歲以下及60歲以上人士)應盡快接種疫苗。

COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses**have much lower fatality rate than the unvaccinated. With that, the Government strongly recommended eligible persons
(especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

#### 第5波死者個案 Deceased in the 5th Wave®

累計數目 Cumulative number	11,076
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.39

## 疫苗接種史\*




■已接種四劑(滿14天)Received 4 doses (reached 14 days)

已接種三劑(滿14天)Received 3 doses (reached 14 days)

■已接種兩劑(滿14天)Received 2 doses (reached 14 days)

■已接種一劑(滿14天)Received 1 dose (reached 14 days)
■沒有接種疫苗# Unvaccinated#

#### 居住院舍情況\* Residential Care Home (RCH) Status




■院舍人士 RCH Residents

■ 非院舍人士 Non-RCH Residents

約一半為居於院舍人士 About 50% were RCH residents

# 長期病患歴史情況\* History of Known Chronic Diseases



■ 已知有長期病患 With known chronic diseases

■沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況 More than 90% were with known chronic diseases

@ 不包括輸入個案 Excluding imported cases \* 不包括待定個案 Excluding pending cases

# 按年齡組別和疫苗接種情況\*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status\*

- 超過95%死亡個案為60歲或以上長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗,可進一步提高保護力
- 早接種,早保護
- Over 95% fatal cases were elderly aged 60 years or above
- Having the first dose already offers observable protection
- Timely having the second and the third doses can enhance protection
- Early vaccination for early protection



<sup>\*</sup> 計算是根據個別個案的呈報日期,相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用,包括追溯所有過往數據。
It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.


- #包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

#### 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別

Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

#### 接種三劑疫苗相對沒有接種疫苗的死亡率(以20歲或以上年齡組別劃分)

Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



#### 按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天) Vaccination Status (reached 14 days	年齡組別 Age Group											總計
as at case report date)	<3	3 - 11	12 – 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	+08	待定 Pending	Grand Total
總計 Grand total	0.01%	0.01%	0.00%	0.01%	0.01%	0.02%	0.09%	0.28%	1.13%	7.25%	0.03%	0.48%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.03%	0.03%	0.04%	0.14%	0.63%	1.63%	4.38%	14.49%	N/A	2.15%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.02%	0.03%	0.19%	0.52%	1.52%	7.14%	N/A	1.00%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.03%	0.06%	0.22%	0.54%	1.62%	7.29%	N/A	1.44%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.03%	0.01%	0.00%	0.02%	0.00%	0.12%	0.45%	1.00%	5.67%	N/A	0.25%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.07%	0.17%	0.63%	3.77%	N/A	0.19%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.02%	0.00%	0.01%	0.08%	0.19%	0.72%	4.19%	N/A	0.36%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.05%	0.13%	0.43%	2.16%	N/A	0.06%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.27%	0.00%	0.00%	1.67%	N/A	0.08%
接種三劑疫苗總計 3 Doses - Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.02%	0.07%	0.27%	1.93%	N/A	0.09%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.01%	0.00%	0.01%	0.01%	0.03%	0.08%	0.35%	2.20%	N/A	0.19%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.05%	0.17%	1.01%	N/A	0.03%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.07%	0.11%	1.48%	N/A	0.04%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.03%	0.16%	1.21%	N/A	0.14%
接種 <b>四</b> 劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.17%	1.46%	N/A	0.20%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.06%	0.09%	0.73%	N/A	0.08%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.21%	0.52%	N/A	0.06%

- 接種任何三劑疫苗,死亡風險大幅減少,特別是較年長的年齡組別
- 只要接種首劑疫苗,死亡風險也會顯著減少
- Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group
- Getting the first jab would also significantly reduce death risk
- 新型冠狀病毒測試結果呈陽性的個案,如果在首次陽性樣本收集日期的28日內死亡,則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與 2019冠狀病毒病無關。
- 由於第五波疫情尚未結束,分析以上的臨時數據時必需謹慎,可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

#### 以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目(經核酸檢測/快速抗原測試) Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天)	年齡組別 Age Group											
Vaccination Status (reached 14 days as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	30,574	154,048	122,054	263,939	385,052	384,152	370,032	333,110	162,115	107,971	10,238	2,323,285
沒有接種疫苗# Unvaccinated#	28,586	68,374	11,104	30,006	42,648	29,635	26,297	33,104	25,094	36,243	N/A	331,091
接種一劑疫苗總計 1 Dose - Overall	1,046	18,838	14,834	11,850	18,727	14,846	16,465	24,433	17,683	15,403	N/A	154,125
接種一劑克爾來福 1 Dose – CoronaVac	993	15,236	2,547	3,129	7,547	8,677	11,572	18,810	14,865	14,009	N/A	97,385
接種一劑復必泰 1 Dose - Comirnaty	52	3,598	12,285	8,705	11,171	6,160	4,890	5,611	2,813	1,394	N/A	56,679
接種一劑其他 1 Dose - Others	1	4	2	16	9	9	3	12	5	0	N/A	61
接種兩劑疫苗總計 2 Doses - Overall	801	48,469	44,070	114,363	146,270	128,806	126,255	107,019	44,920	23,074	N/A	784,047
接種兩劑克爾來福 2 Doses – CoronaVac	795	34,475	7,733	17,157	34,114	49,973	66,431	63,723	30,484	18,341	N/A	323,226
接種兩劑復必泰 2 Doses – Comirnaty	5	13,726	36,062	96,896	111,704	78,408	59,452	43,031	14,318	4,673	N/A	458,275
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	1	268	275	310	452	425	372	265	118	60	N/A	2,546
接種三劑疫苗總計 3 Doses - Overall	123	18,284	51,889	106,388	173,934	203,550	188,960	145,111	61,244	28,202	N/A	977,685
接種三劑克爾來福 3 Doses – CoronaVac	47	17,057	9,206	14,004	36,098	66,698	80,865	71,681	36,509	21,108	N/A	353,273
接種三劑復必泰 3 Doses – Comirnaty	66	507	37,620	83,689	122,012	112,784	84,217	56,707	19,114	5,469	N/A	522,185
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	10	720	5,063	8,695	15,824	24,068	23,878	16,723	5,621	1,625	N/A	102,227
接種四劑疫苗總計 4 Doses - Overall	18	83	157	1,332	3,473	7,315	12,055	23,443	13,174	5,049	N/A	66,099
接種四劑克爾來 4 Doses – CoronaVac	8	33	50	368	1,162	2,956	5,202	11,541	7,433	3,505	N/A	32,258
接種四劑復必泰 4 Doses – Comirnaty	4	32	64	533	1,510	2,610	4,027	6,692	3,315	965	N/A	19,752
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	6	18	43	431	801	1,749	2,826	5,210	2,426	579	N/A	14,089

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

#### 以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目 Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況(在個案報告日期已滿14天)	年齡組別 Age Group											
Vaccination Status (reached 14 days as at case report date)	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	總計 Grand Total
總計 Grand total	3	8	6	19	28	79	318	948	1,839	7,825	3	11,076
沒有接種疫苗# Unvaccinated#	3	5	3	9	15	42	165	541	1,099	5,250	N/A	7,132
接種一劑疫苗總計 1 Dose – Overall	0	2	1	1	4	5	32	126	269	1,100	N/A	1,540
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	2	5	26	101	241	1,021	N/A	1,398
接種一劑復必泰 1 Dose – Comirnaty	0	1	1	0	2	0	6	25	28	79	N/A	142
接種一劑其他 1 Dose - Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	0	1	1	9	4	20	85	179	283	871	N/A	1,453
接種兩劑克爾來福 2 Doses – CoronaVac	0	1	0	3	0	7	54	123	221	769	N/A	1,178
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	6	4	13	30	56	62	101	N/A	273
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	1	0	0	1	N/A	2
接種三劑疫苗總計 3 Doses – Overall	0	0	1	0	5	12	35	95	167	543	N/A	858
接種三劑克爾來福 3 Doses – CoronaVac	0	0	1	0	2	6	21	57	129	464	N/A	680
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	2	5	13	27	32	55	N/A	134
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	1	1	11	6	24	N/A	44
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	0	1	7	21	61	N/A	90
接種四劑克爾來 4 Doses – CoronaVac	0	0	0	0	0	0	0	2	13	51	N/A	66
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	0	1	4	3	7	N/A	15
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	1	5	3	N/A	9

# 包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days N/A = 不適用 Not applicable

# 比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分)

# Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

	年齡組別 Age groups												
疫苗接種情況 (在個案報告日期已滿14天)	20 – 39		40 -	- 59	60 -	- 69	70 -	- 79	80+				
(在個条報百日朔已網14人) Vaccination Status	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡	佔所有本地	佔所有死亡			
(reached 14 days as at case report	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%	個案%			
date)	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total	% of total			
No. 1 Margin H. W. W. C.	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths	local cases	deaths			
沒有接種疫苗 # Unvaccinated #	11.2%	51.1%	7.4%	52.1%	9.9%	57.1%	15.5%	59.8%	33.6%	67.1%			
接種一劑克爾來福 1 Dose – CoronaVac	1.6%	6.4%	2.7%	7.8%	5.6%	10.7%	9.2%	13.1%	13.0%	13.0%			
接種一劑復必泰 1 Dose – Comirnaty	3.1%	4.3%	1.5%	1.5%	1.7%	2.6%	1.7%	1.5%	1.3%	1.0%			
接種一劑其他疫苗 1 Dose - Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
接種兩劑克爾來福 2 Doses – CoronaVac	7.9%	6.4%	15.4%	15.4%	19.1%	13.0%	18.8%	12.0%	17.0%	9.8%			
接種兩劑復必泰 2 Doses – Comirnaty	32.1%	21.3%	18.3%	10.8%	12.9%	5.9%	8.8%	3.4%	4.3%	1.3%			
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.3%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%			
接種三劑克爾來福 3 Doses – CoronaVac	7.7%	4.3%	19.6%	6.8%	21.5%	6.0%	22.5%	7.0%	19.5%	5.9%			
接種三劑復必泰 3 Doses – Comirnaty	31.7%	4.3%	26.1%	4.5%	17.0%	2.8%	11.8%	1.7%	5.1%	0.7%			
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	3.8%	2.1%	6.4%	0.5%	5.0%	1.2%	3.5%	0.3%	1.5%	0.3%			
接種四劑克爾來福 4 Doses – CoronaVac	0.2%	0.0%	1.1%	0.0%	3.5%	0.2%	4.6%	0.7%	3.2%	0.7%			
接種四劑復必泰 4 Doses – Comirnaty	0.3%	0.0%	0.9%	0.3%	2.0%	0.4%	2.0%	0.2%	0.9%	0.1%			
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.2%	0.0%	0.6%	0.0%	1.6%	0.1%	1.5%	0.3%	0.5%	0.0%			
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%			

<sup>#</sup>包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

#### 以年齡組別及疫苗接種情況劃分之曾在香港已接種至少一劑疫苗的人口 ~ Population ever vaccinated in Hong Kong by Age Group and Vaccination Status ~

疫苗接種情況(滿14天)		年齡組別 Age Group^										
Vaccination Status (reached 14 days)	<3 §	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	Grand Total	
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100	
曾在香港已接種至少一劑疫苗的人口 (=a+b+c+d) Population ever vaccinated in Hong Kong	21,434	447,060	465,311	811,970	1,130,877	1,191,622	1,178,801	1,014,948	498,159	286,817	7,046,999	
接種一劑疫苗總計 1 Dose – Overall (a)	6,716	43,456	10,292	10,166	13,191	8,674	7,792	9,711	7,348	10,191	127,537	
接種一劑克爾來福 1 Dose – CoronaVac	6,716	25,896	2,081	2,905	5,591	4,708	4,701	6,564	5,662	8,797	73,621	
接種一劑復必泰 1 Dose – Comirnaty	0	17,560	8,211	7,261	7,600	3,966	3,091	3,147	1,686	1,394	53,916	
接種兩劑疫苗總計 2 Doses – Overall (b)	14,422	235,905	95,540	156,312	185,680	139,983	111,026	93,924	47,530	37,791	1,118,113	
接種兩劑克爾來福 2 Doses – CoronaVac	14,276	155,950	14,457	23,756	42,247	46,040	49,845	52,537	32,296	30,386	461,790	
接種兩劑復必泰 2 Doses – Comirnaty	0	73,138	78,952	129,624	140,620	91,446	59,180	40,001	14,604	7,108	634,673	
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	146	6,817	2,131	2,932	2,813	2,497	2,001	1,386	630	297	21,650	
接種三劑疫苗總計 3 Doses - Overall (c)	296	167,646	356,564	623,469	883,746	959,590	919,339	725,128	342,771	195,090	5,173,639	
接種三劑克爾來福 3 Doses – CoronaVac	152	151,805	46,093	80,835	183,523	300,026	370,550	358,471	207,627	148,797	1,847,879	
接種三劑復必泰 3 Doses – Comirnaty	0	5,191	264,738	459,527	602,147	541,137	438,777	294,191	108,874	37,031	2,751,613	
接種三劑克爾來福和復必泰組合 3 Doses – Combination of CoronaVac and Comirnaty	0	2,186	25,866	39,216	70,093	95,574	90,519	59,664	21,188	8,148	412,454	
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	144	8,464	19,867	43,891	27,983	22,853	19,493	12,802	5,082	1,114	161,693	
接種四劑疫苗總計 4 Doses – Overall (d)	0	53	2,915	22,023	48,260	83,375	140,644	186,185	100,510	43,745	627,710	
接種四劑克爾來福 4 Doses – CoronaVac	0	37	389	3,351	11,383	25,085	50,876	83,567	53,096	29,483	257,267	
接種四劑復必泰 4 Doses – Comirnaty	0	8	1,028	7,225	21,021	32,106	49,635	56,040	27,603	8,809	203,475	
接種四劑克爾來福和復必泰組合 4 Doses – Combination of CoronaVac and Comirnaty	0	4	310	3,398	7,581	14,167	23,928	34,072	14,400	4,012	101,872	
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	4	1,188	8,049	8,275	12,017	16,205	12,506	5,411	1,441	65,096	

- 就本統計分析而言,由2022年9月15日起,統計數字只包括曾在香港已接種至少一劑疫苗的人口(該些人士可能同時在香港以外地方接種其他劑次)。於分析該些人士已接種疫苗劑數時,已考慮在香港以外地方的疫苗接種記錄。比較9月14日發佈的數字,減少約20萬以反映以上技術性修訂。For the purpose of this statistical analysis, starting from 15 September 2022, the statistics cover population ever vaccinated in HK (the individuals may also have doses taken outside HK). Vaccine dose(s) taken outside HK by these individuals have been taken into account in the analysis of the number of doses taken. As compared to the statistics reported on 14 September, the aforementioned technical refinements result in a reduction of 200,000 persons.
- ^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.
- § 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒病疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022.
- ② 2019冠狀病毒病疫苗接種計劃下的合資格接種人士,除了香港居民外,還包括以下類別的非香港居民:(1)持「往來港澳通行證」(慣稱「雙程證」)獲准逗留香港,並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客;(2)免遭返申請人及獲聯合國難民署確認為難民的人士;及(3)在香港逗留的其他訪客(必須持有有效旅遊證件在香港合法逗留,並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗)。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以,已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外,由於有關的人口基數非實時數字,與實際情況或會有偏差,因此,沒有接種疫苗的估算人口可以是負數而沒有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissionen-for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of service vaccination. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

## 有用資訊 **Useful Information**



https://www.covidvaccine.gov.hk/pdf/5th\_wave\_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death\_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases https://www.coronavirus.gov.hk/eng/death\_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local situation covid19 tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local\_situation\_covid19\_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index\_tc.jsp



**Book vaccination now** 

https://booking.covidvaccine.gov.hk/forms/index.jsp



2019冠狀病毒病疫苗接種計劃專題網站

https://www.covidvaccine.gov.hk/zh-HK



**COVID-19 Vaccination Programme Thematic Website** 



2019冠狀病毒病專題網站

https://www.coronavirus.gov.hk/chi/index.html



**COVID-19 Thematic Website** 

https://www.coronavirus.gov.hk/eng/index.html

